



Attorney Docket No.: 28945-041

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Group Art Unit: 2661

Application of : Thomas T. NGUYEN, et al.
Serial No. : 09/843,605
Filed : April 26, 2001
Title : METHOD AND APPARATUS FOR
INTEGRATING TUNNELING
PROTOCOLS WITH STANDARD...

COMMUNICATION

Assistant Commissioner for Patents
Patent Examination Division
Washington, D.C. 20231

I hereby certify that this paper is being deposited this date with the U.S. Postal Service as first class mail addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.

Alexander Stojanovic September 25, 2001

Sir:

On September 13, 2001, the U.S. Patent and Trademark Office issued a Notice of Incomplete Reply with regards to the above-identified nonprovisional patent application. A copy of the Notice is enclosed with this communication. The Notice states that the applicant's reply to the June 22, 2001 Notice to File Missing Parts did not include Substitute drawings in compliance with 37 CFR 1.84.

In response, the applicants enclose herewith 10 sheets of Formal Drawings in compliance with 37 CFR 1.84 and the Petition for Extension of Time.

Respectfully submitted,
PROSKAUER ROSE LLP

By *[Signature]*
Anthony C. Coles
Reg. No. 34,139

Date: September 25, 2001

PROSKAUER ROSE LLP
1585 Broadway
New York, NY 10036
Telephone: (212) 969-3000

RECEIVED
OCT 02 2001
Technology Center 2600



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/843,605	04/26/2001	Thomas T. Nguyen	28945-041

Proskauer Rose LLP
Patent Department
1585 Broadway
New York, NY 10036



CONFIRMATION NO. 7668

FORMALITIES LETTER



OC000000006548404

Date Mailed: 09/13/2001

NOTICE OF INCOMPLETE REPLY (NONPROVISIONAL)

Filing Date Granted

The U.S. Patent and Trademark Office has received your reply on to the Notice mailed and it has been entered into the nonprovisional application. The reply, however, does not include the following items required in the Notice.

The period of reply remains as set forth in the Notice. You may, however, obtain EXTENSIONS OF TIME under the provisions of 37 CFR 1.136 (a) accompanied by the appropriate fee (37 CFR 1.17(a)).

A complete reply must be timely filed to prevent ABANDONMENT of the above-identified application.

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

RECEIVED
OCT 02 2001
Technology Center 2600

NI
Customer Service Center
Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE